

#### 000003000426

Version 3.1	Revision Date 29.09.2023	Print Date 29.09.2023

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Product name	: ENDURATEX TM/MC EP 100
Product code	: ENT100IBC, ENT100P20, ENT100DRX, ENT100DRR, ENT100DRM, ENT100DCT, ENT100, ENT100BLK

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	: ENDURATEX EP oils are heavy duty extreme pressure gear oils for use in enclosed industrial gear drives operating under normal, heavy, or shock loading conditions. They are also recommended for lubricating plain or anti-friction bearings
	running under heavy or shock loading conditions.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer or supplier's details	
	Petro-Canada Europe Lubricants Limited 3rd Floor, 1 Ashley Road Altrincham Cheshire WA14 2DT United Kingdom
Telephone :	+44 (0) 121 781 7264
E-mail address of person : responsible for the SDS	EUSDS@hfsinclair.com

#### 1.4 Emergency telephone number

Emergency telephone num-	: CHEMTREC: +1-703-741-5970;
ber	Poison Control Centre: Consult local telephone directory for
	emergency number(s).

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)



#### 000003000426

Version 3.1

Revision Date 29.09.2023

Print Date 29.09.2023

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Lubricating oils (petroleum), C15- 30, hydrotreated neutral oil-based; Baseoil — unspecified	72623-86-0	Asp. Tox. 1; H304	30 - 50
Amines, C10-14-tert-alkyl	701-175-2	Acute Tox. 4; H302 Acute Tox. 3; H311 Acute Tox. 2; H330 Skin irr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 STOT SE 3; H335 (Respiratory Tract) Aquatic Acute 1; H400 Aquatic Chronic 1; H410	0.025 - 0.1

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse.



Version 3.1		Revision Date 29.09.2023	Print Date 29.09.202
	S	Seek medical advice.	
In case of eye contact	F f	Remove contact lenses. Rinse immediately with plenty of wate for at least 15 minutes. Obtain medical attention.	er, also under the eyelids,
If swallowed	C N	<ul> <li>Rinse mouth with water.</li> <li>DO NOT induce vomiting unless directed to do so by a physician or poison control center.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>Seek medical advice.</li> </ul>	
4.2 Most important symptoms a	nd eff	ects, both acute and delayed	
Risks	: F	First aider needs to protect himself.	
4.3 Indication of any immediate	medio	cal attention and special treatment	needed
-		-	
Treatment	: 1	Treat symptomatically.	
SECTION 5: Firefighting mea	sures : ເ	<b>s</b> Use extinguishing measures that are	
SECTION 5: Firefighting mea	sures : L	S	
SECTION 5: Firefighting mean 5.1 Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	sures : L c : N	<b>s</b> Use extinguishing measures that are cumstances and the surrounding envi No information available.	
SECTION 5: Firefighting mea 5.1 Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2 Special hazards arising from	sures : L : N	<b>s</b> Use extinguishing measures that are cumstances and the surrounding envi No information available.	ironment.
<ul> <li>SECTION 5: Firefighting mean</li> <li>5.1 Extinguishing media</li> <li>Suitable extinguishing media</li> <li>Unsuitable extinguishing media</li> <li>5.2 Special hazards arising from Specific hazards during fire-</li> </ul>	sures : L : N : the s : C : C	S Use extinguishing measures that are cumstances and the surrounding envi No information available.	ironment. e with water spray. cides (SOx), aldehydes,
<ul> <li>SECTION 5: Firefighting mean</li> <li>5.1 Extinguishing media</li> <li>Suitable extinguishing media</li> <li>Unsuitable extinguishing media</li> <li>5.2 Special hazards arising from Specific hazards during firefighting</li> <li>Hazardous combustion prod-</li> </ul>	sures : L : N : the s : C : C	s Use extinguishing measures that are cumstances and the surrounding envi No information available. Substance or mixture Cool closed containers exposed to fire Carbon oxides (CO, CO2), sulphur ox smoke and irritating vapours as produ	ironment. e with water spray. sides (SOx), aldehydes,

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas.	



000003000426		
Version 3.1	Revision Date 29.09.2023	Print Date 29.09.2023
	Material can create slippery conditions. Mark the contaminated area with signs an unauthorized personnel. Only qualified personnel equipped with su equipment may intervene.	
6.2 Environmental precautions		
Environmental precautions :	Do not allow uncontrolled discharge of pro ronment.	duct into the envi-
6.3 Methods and material for contai	inment and cleaning up	
Methods for cleaning up :	Prevent further leakage or spillage if safe Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.	to do so.

#### 6.4 Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Advice on protection against fire and explosion	:	None known.
Hygiene measures	:	Remove and wash contaminated clothing and gloves, includ- ing the inside, before re-use. Wash face, hands and any ex- posed skin thoroughly after handling.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Store in original container. Containers which are opened must
areas and containers		be carefully resealed and kept upright to prevent leakage.
		Keep in a dry, cool and well-ventilated place. Keep in properly
		labelled containers. To maintain product quality, do not store
		in heat or direct sunlight.



#### 000003000426

Version 3.1

Revision Date 29.09.2023

Print Date 29.09.2023

#### 7.3 Specific end use(s)

Specific use(s)

: No data available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### **Engineering measures**

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment					
Eye/face protection :		Wear face-shield and protective suit for abnormal processing problems.			
Hand protection Material :	:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton®.			
Remarks :	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary.			
Skin and body protection :	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.			
til e: R e:		Use respiratory protection unless adequate local exhaust ven- tilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator.			
Filter type :	:	organic vapour filter			
Protective measures : Wash contaminated clothing before re-use.					

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	viscous liquid
----------------	---	----------------



#### 000003000426

Version 2.4		Devision Date 20.00.2022			
Vers	sion 3.1		Revision Date 29.09.2023	Print Date 29.09.2023	
	Odour	:	Mild petroleum oil like.		
	Odour Threshold	:	No data available		
	Pour point		-39 °C		
	Boiling point/boiling range	•	No data available		
	Flash point	:	238 °C		
			Method: Cleveland open cup		
	Fire Point	:	No data available		
	Auto-Ignition Temperature	:	No data available		
	Evaporation rate		No data available		
	Upper explosion limit / Upper		No data available		
	flammability limit	•			
	Lower explosion limit / Lower	•	No data available		
	flammability limit				
	Vapour pressure	:	No data available		
	Relative vapour density	:	No data available		
	Relative density	:	No data available		
	Density	:	0.8698 kg/l (15 °C)		
	Solubility(ies) Water solubility	:	insoluble		
	,				
	Partition coefficient: n- octanol/water	:	No data available		
	Viscosity				
	Viscosity, kinematic	:	100 cSt (40 °C)		



#### 000003000426

000003000420			
Version 3.1		Revision Date 29.09.2023	Print Date 29.09.2023
		12 cSt (100 °C)	
Flammability	:	Low fire hazard. This material must will occur.	be heated before ignition
Explosive properties	:	Do not pressurize, cut, weld, braze, pose containers to heat or sources	
<b>9.2 Other information</b> No data available			
SECTION 10: Stability and rea	acti	vity	
<b>10.1 Reactivity</b> No dangerous reaction knowr	ո uno	der conditions of normal use.	
10.2 Chemical stability			
Stable under normal condition	าร.		
10.3 Possibility of hazardous rea	actio	ons	
Hazardous reactions	:	Hazardous polymerisation does not mal conditions.	occur.Stable under nor-
10.4 Conditions to avoid			
Conditions to avoid	:	No data available	
10.5 Incompatible materials			
Materials to avoid	:	Reactive with oxidising agents.	
10.6 Hazardous decomposition	proc	lucts	
Hazardous decomposition products	:	May release COx, NOx, SOx, POx, methacrylate monomers, asphyxian vapours when heated to decomposi	ts, smoke and irritating

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Information on likely routes of	:	Eye contact
exposure		Ingestion
		Inhalation
		Skin contact

#### Acute toxicity

Not classified due to lack of data.

#### Product:

Acute oral toxicity

: Remarks: No data available



#### 000003000426

ion 3.1		Revision Date 29.09.2023	Print Date 29.09.2023
Acute inhalation toxicity	:	Remarks: No data available	
Acute dermal toxicity	:	Remarks: No data available	
Components:			
Lubricating oils (petroleur fied:	n), C <sup>.</sup>	15-30, hydrotreated neutral oil-base	d; Baseoil — unspeci-
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	:	LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg	
Skin corrosion/irritation Not classified due to lack of	data.		
Product:			
Remarks	:	No data available	
Not classified due to lack of Product:	data.		
Remarks	•	No data available	
Respiratory or skin sensit	isatio	on	
Skin sensitisation: Not class Respiratory sensitisation: N			
Germ cell mutagenicity			
Not classified due to lack of	data.		
Carcinogenicity			
Not classified due to lack of <u>Product:</u>	data.		
Remarks			
	:	All components listed in Annex VI to and contained in the product, have b less than 3% DMSO extractables as	een shown to contain
Reproductive toxicity	:	and contained in the product, have b	een shown to contain
	: data.	and contained in the product, have b less than 3% DMSO extractables as	een shown to contain
Reproductive toxicity Not classified due to lack of STOT - single exposure		and contained in the product, have b less than 3% DMSO extractables as	een shown to contain
Not classified due to lack of		and contained in the product, have b less than 3% DMSO extractables as	een shown to contain
Not classified due to lack of STOT - single exposure	data.	and contained in the product, have b less than 3% DMSO extractables as	een shown to contain

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.



### ENDURATEX <sup>™/MC</sup> EP 100

#### 000003000426

Version 3.1

Revision Date 29.09.2023

Print Date 29.09.2023

#### Aspiration toxicity

Not classified due to lack of data.

#### Aspiration toxicity

Not classified due to lack of data.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	

 Components:

 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

 Toxicity to fish
 : NOEC (Fish): > 100 mg/l Exposure time: 96 h

 Toxicity to daphnia and other
 : NOEC (Daphnia (water flea)): > 100 mg/l

Exposure time: 48 h

Remarks: No data available

Toxicity to algae/aquatic	:	NOEC (algae): > 100 mg/l
plants		Exposure time: 72 h

#### 12.2 Persistence and degradability

aquatic invertebrates

#### Product:

Biodegradability	:	Remarks: No data available

:

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or



#### 000003000426

Version 3.1

Revision Date 29.09.2023

Print Date 29.09.2023

very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

No data available

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product

The product should not be allowed to enter drains, water courses or the soil.
Offer surplus and non-recyclable solutions to a licensed disposal company.
Waste must be classified and labelled prior to recycling or disposal.
Send to a licensed waste management company.
Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

#### **SECTION 14: Transport information**

14.1 UN number or ID number		
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.



#### 000003000426

Version 3.1	Revision Date 29.09.2023	Print Date 29.09.2023
Remarks	: ADR: Not Regulated ADN: Not Regulated RID: Not Regulated	

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

The components of this product are reported in the following inventories:				
DSL	:	On the inventory, or in compliance with the inventory		
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.		
IECSC	:	On the inventory, or in compliance with the inventory		

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

#### **SECTION 16: Other information**

#### Full text of H-Statements

H302 :	Harmful if swallowed.
H304 :	May be fatal if swallowed and enters airways.
H311 :	Toxic in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H330 :	Fatal if inhaled.
H335 :	May cause respiratory irritation.

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.



#### 000003000426

Version 3.1		Revision Date 29.09.2023	Print Date 29.09.2023	
H400		Very toxic to aquatic life.		
H410	:	Very toxic to aquatic life with long la	sting effects.	
Full text of other abbreviations				

Acute Tox. Aquatic Acute Aquatic Chronic Asp. Tox. Eye Dam. Skin irr. Skin Sens.	:	Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Aspiration hazard Serious eye damage/eye irritation Skin corrosion/irritation Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

For Copy of SDS

: Internet: lubricants.petro-canada.com/sds Order Email for packed goods: pcepackage@hfsinclair.com Order Email for bulk: pceorders@hfsinclair.com Telephone: +31 88313 0365 / +31 88313 0366 For Product Safety Information: 1 905-491-0565



#### 000003000426

Version 3.1

Revision Date 29.09.2023

Print Date 29.09.2023

Prepared by

: Product Safety: +1 905-491-0565

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN