

#### 000003000408

	Version 3.1	Revision Date 10.10.2023	Print Date 10.10.2023
--	-------------	--------------------------	-----------------------

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Product name	: ENDURATEX ™ SYNTHETIC EP 320
Product code	: ENTS320ICT, ENTS320BLK, ENTS320P20, ENTS320IBC, ENTS320DRM, ENTS320, ENTS320DCT

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	: Enduratex Synthetic EP 320 is a premium synthetic, extreme
stance/Mixture	pressure lubricant designed for enclosed industrial gears and
	bearings operating under severe load conditions and in wide
	temperature extremes.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer or supplier's details

Telephone	Petro-Canada Europe Lubricants Limited 3rd Floor, 1 Ashley Road Altrincham Cheshire WA14 2DT United Kingdom : +44 (0) 121 781 7264
E-mail address of person	: EUSDS@hfsinclair.com

responsible for the SDS

#### **1.4 Emergency telephone number**

Emergency telephone num-	:	CHEMTREC: +1-703-741-5970;
ber		Poison Control Centre: Consult local telephone directory for
		emergency number(s).

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK
SI 2019/720, and UK SI 2020/1567)

Long-term (chronic) aquatic hazard, Cat-	H412: Harmful to aquatic life with long lasting ef-
egory 3	fects.



#### 000003000408

Version 3.1	Revi	sion Date 10.10.2023	Print Date 10.10.2023
2.2 Label elements			
Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)			gulation, UK SI
Hazard statements	: H412	Harmful to aquatic life with long last	ing effects.
Precautionary statements	: Preve P273	<b>ntion:</b> Avoid release to the environment.	
	Dispo	sal:	
	P501 dispos	Dispose of contents/ container to ar sal plant.	n approved waste

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative tive and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Can		
COII	IDOI	nents

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Amines, C10-14-tert-alkyl	701-175-2	Acute Tox. 4; H302 Acute Tox. 3; H311 Acute Tox. 2; H330 Skin irr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 STOT SE 3; H335 (Respiratory Tract) Aquatic Acute 1; H400 Aquatic Chronic 1;	0.1 - 0.25
C16-18-(even numbered, saturat- ed and unsaturated)-alkylamines	627-034-4	H410 Acute Tox. 4; H302 Skin irr. 1B; H314 Eye Dam. 1; H318 STOT RE 2; H373 (Gastrointestinal tract, Immune sys- tem, Liver) STOT SE 3; H335 (Respiratory Tract) Asp. Tox. 1; H304 Aquatic Acute 1;	0.025 - 0.1



## 000003000408

Version 3.1

Revision Date 10.10.2023

Print Date 10.10.2023

H400 Aquatic Chronic 1; H410
M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

If inhale	ed :		Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case	e of skin contact :	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
In case	e of eye contact :	:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swall	owed :	:	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physi- cian or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.
4.2 Most im	portant symptoms and	e e	ffects, both acute and delayed
Risks	:		First aider needs to protect himself.
4.3 Indicati	on of any immediate me	ed	ical attention and special treatment needed
Treatm	ient :		Treat symptomatically.



#### 000003000408

Version 3.1	Revision Date 10.10.2023	Print Date 10.10.2023

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion prod- ucts	:	Carbon oxides (CO, CO2), smoke and irritating vapours as products of incomplete combustion.

#### 5.3 Advice for firefighters

Further information

: Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	<ul> <li>Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene</li> </ul>
	equipment may intervene.

#### 6.2 Environmental precautions

Environmental precautions	:	Do not allow uncontrolled discharge of product into the envi-
		ronment.

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Prevent further leakage or spillage if safe to do so.
		Remove all sources of ignition.
		Soak up with inert absorbent material.
		Non-sparking tools should be used.
		Ensure adequate ventilation.
		Contact the proper local authorities.

## SAFETY DATA SHEET According to REACH Regulation (EC) No 1907/2006, as amended by

UK REACH Regulations SI 2019/758



## ENDURATEX <sup>™</sup> SYNTHETIC EP 320

#### 000003000408

Version 3.1	Revision Date 10.10.2023	Print Date 10.10.2023

## 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Advice on protection against fire and explosion	:	None known.
Hygiene measures	:	Remove and wash contaminated clothing and gloves, includ- ing the inside, before re-use. Wash face, hands and any ex- posed skin thoroughly after handling.
7.2 Conditions for safe storage,	inc	luding any incompatibilities
Requirements for storage areas and containers	:	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.
7.3 Specific end use(s)		
Specific use(s)	:	No data available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

:

#### 8.2 Exposure controls

#### **Engineering measures**

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Personal protective equipment

Eye/face protection

Wear face-shield and protective suit for abnormal processing problems.

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.



#### 000003000408

Version 3.1		Revision Date 10.10.2023	Print Date 10.10.2023
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (P	PVA), Viton <sup>®</sup> .
Remarks	:	Chemical-resistant, impervious glove approved standard should be worn a chemical products if a risk assessme essary.	t all times when handling
Skin and body protection	:	Choose body protection in relation to tration and amount of dangerous sub cific work-place.	
Respiratory protection	:	Use respiratory protection unless add tilation is provided or exposure asses exposures are within recommended Respirator selection must be based of exposure levels, the hazards of the p ing limits of the selected respirator.	ssment demonstrates that exposure guidelines. on known or anticipated
Filter type	:	organic vapour filter	
Protective measures	:	Wash contaminated clothing before r	e-use.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	viscous liquid
Colour	:	Pale yellow
Odour	:	Mild petroleum
Odour Threshold	:	No data available
Pour point	:	-42 °C
Boiling point/boiling range	:	No data available
Flash point	:	237 °C Method: Cleveland open cup
Fire Point	:	321 °C
Auto-Ignition Temperature	:	No data available



## 000003000408

Version 3.1		Revision Date 10.10.2023	Print Date 10.10.2023
Evaporation rate	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	0.8618 kg/l (15 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity Viscosity, kinematic	:	331 cSt (40 °C)	
		35.5 cSt (100 °C)	
Flammability	:	Low fire hazard. This material must be hea will occur.	ted before ignition
Explosive properties	:	Do not pressurize, cut, weld, braze, solder, pose containers to heat or sources of igniti	
9.2 Other information			

9.2 Other information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.



## 000003000408

Version 3.1		Revision Date 10.10.2023	Print Date 10.10.2023
Hazardous reactions	:	Hazardous polymerisation does not occur mal conditions.	Stable under nor-
10.4 Conditions to avoid			
Conditions to avoid	:	No data available	
10.5 Incompatible materials			
Materials to avoid	:	Reactive with oxidising agents, acids and	alkalis.
10.6 Hazardous decomposition	orod	lucts	
Hazardous decomposition products	:	May release COx, NOx, SOx, POx, smoke pours when heated to decomposition.	e and irritating va-

## SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

Information on likely routes of	:	Eye contact
exposure		Ingestion
		Inhalation
		Skin contact

#### Acute toxicity

Not classified due to lack of data.

## Product:

Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Assessment: The substance or mixture has no acute inhala- tion toxicity Remarks: No data available

Acute dermal toxicity	:	Remarks: No data available
-----------------------	---	----------------------------

#### Skin corrosion/irritation

Not classified due to lack of data.

## Product:

Remarks : No data available

#### Serious eye damage/eye irritation

Not classified due to lack of data.

#### Product:

Remarks

: No data available

#### Respiratory or skin sensitisation

Skin sensitisation: Based on available data, the classification criteria are not met.



## 000003000408

Version	3.1	

Revision Date 10.10.2023

Print Date 10.10.2023

Respiratory sensitisation: Not classified due to lack of data.

#### Product:

Result: Not a skin sensitizer.

#### Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

#### **Reproductive toxicity**

Not classified due to lack of data.

#### STOT - single exposure

Not classified due to lack of data.

#### STOT - repeated exposure

Not classified due to lack of data.

#### Aspiration toxicity

Not classified due to lack of data.

#### Aspiration toxicity

Not classified due to lack of data.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
C16-18-(even numbered, sat	ura	ted and unsaturated)-alkylamines:
M-Factor (Acute aquatic tox-	:	10

M-Factor icity)

M-Factor (Chronic aquatic : 10 toxicity)



## 000003000408

Version 3.1		Revision Date 10.10.2023	Print Date 10.10.2023
12.2 Persistence and degradabili	ty		
Product:			
Biodegradability	: 1	Remarks: No data available	
12.3 Bioaccumulative potential			
No data available			
12.4 Mobility in soil			
No data available			
12.5 Results of PBT and vPvB as	sess	ment	
Product:			
Assessment	t v	This substance/mixture contains no con o be either persistent, bioaccumulative very persistent and very bioaccumulative 0.1% or higher.	and toxic (PBT), or
12.6 Other adverse effects			
No data available			
SECTION 13: Disposal consid	erat	ions	
13.1 Waste treatment methods			
Product		The product should not be allowed to e courses or the soil.	nter drains, water
		Offer surplus and non-recyclable solution of the solution of t	

Waste must be classified and labelled prior to recycling or

Dispose of product residue in accordance with the instructions

Send to a licensed waste management company.

of the person responsible for waste disposal.

## **SECTION 14: Transport information**

14.1 UN number or ID number		
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good

disposal.

## 14.3 Transport hazard class(es)

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.



## 000003000408

Version 3.1		Revision Date 10.10.2023	Print Date 10.10.2023	
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
<b>14.5 Environmental hazards</b> Not regulated as a dangerous good				
<b>14.6 Special precautions for user</b> Not applicable				
14.7 Maritime transport in bulk according to IMO instruments				
Remarks	:	ADR: Not Regulated ADN: Not Regulated RID: Not Regulated		
SECTION 15: Regulatory information				

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable

The components of this product are reported in the following inventories:				
	DSL	:	On the inventory, or in compliance with the inventory	
	TSCA	:	All chemical substances in this product are either lister TSCA Inventory or are in compliance with a TSCA In exemption.	
	IECSC	:	On the inventory, or in compliance with the inventory	
eı	net: lubricants.petro-canada.com/s	ds		Page 11 /



#### 000003000408

STOT SE

Version 3.1

Revision Date 10.10.2023

Print Date 10.10.2023

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

#### **SECTION 16: Other information**

#### Full text of H-Statements

H302	:	Harmful if swallowed.
H304	:	May be fatal if swallowed and enters airways.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H335	:	May cause respiratory irritation.
H373	:	May cause damage to organs through prolonged or repeated
		exposure.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
Full text of other abbreviation	ons	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Asp. Tox.	:	Aspiration hazard
Eye Dam.	:	Serious eye damage/eye irritation
Skin irr.	:	Skin corrosion/irritation
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure

: Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Ef-Internet: lubricants.petro-canada.com/sds



#### 000003000408

Version 3.1

Revision Date 10.10.2023

Print Date 10.10.2023

fect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

For Copy of SDS	:	Internet: lubricants.petro-canada.com/sds Order Email for packed goods: pcepackage@hfsinclair.com Order Email for bulk: pceorders@hfsinclair.com Telephone: +31 88313 0365 / +31 88313 0366 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
<b>Classification of the mixtur</b> Aquatic Chronic 3	<b>е:</b> Н4	Classification procedure: 12 Calculation method
Aqualle Onionile 3	114	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN